



ITEM TECHNICAL SPECIFICATION

- 1 STRENGTH OF PANEL STRUCTURE DETERMINED BY STEEL GRADE PROFILE SHAPE
- 2 BOLT SET DESIGN OPTIMIZED FOR MAXIMUM STRENGTH
- 3 ALL CONNECTIONS AND PANEL THICKNESS TESTED FOR TENSILE STRENGTH
- 4 CERTIFIED TEST FACILITY ENSURES RELIABLE TESTING RESULTS
- 5 STRENGTH CALCULATION PROGRAM DEVELOPED FOR VARIOUS APPLICATIONS
- 6 WAVE PROFILE INCREASED TO 20MM FOR GREATER STIFFNESS
- 7 BOLTS, NUTS, AND WASHERS USED FOR PANEL CONNECTIONS
- 8 INNOVATIVE DESIGN OF BOLT HEAD AND WASHER ENSURES STRONG CONNECTION
- 9 BOLT HEAD AND WASHER PRESSED INTO SAME SHAPE AS WAVE FOR ENHANCED CONNECTION
- 10 SINGLE ROW OF BOLTS SUFFICIENT FOR MANY PANEL CONNECTIONS
- 11 SIMPLIFIED ASSEMBLY PROCESS LEADS TO SIGNIFICANT LABOR COST SAVINGS
- 12 ECO-FRIENDLY AND RUST-RESISTANT COATING (GEOMET) APPLIED TO ALL BOLT SETS



DIMENSIONS AND CAPACITIES

DIAMETER	HEIGHT	Kg	m3	DIAMETER	HEIGHT	Kg	m3	DIAMETER	HEIGHT	Kg	m3
1.82	1.55	90	4	5.46	6.10	1075	143	10.02	5.35	2071	422
1.82	2.35	134	6	6.38	1.55	314	50	10.02	6.10	2466	481
1.82	3.10	176	8	6.38	2.35	470	75	10.93	1.55	538	145
1.82	3.85	224	10	6.38	3.10	627	99	10.93	2.35	806	220
1.82	4.60	269	12	6.38	3.85	784	123	10.93	3.10	1075	291
1.82	5.35	314	14	6.38	4.60	941	147	10.93	3.85	1398	361
1.82	6.10	358	16	6.38	5.35	1098	171	10.93	4.60	1829	431
2.73	1.55	134	9	6.38	6.10	1286	195	10.93	5.35	2260	502
2.73	2.35	202	14	7.29	1.55	358	65	10.93	6.10	2797	572
2.73	3.10	269	18	7.29	2.35	538	98	11.84	1.55	582	171
2.73	3.85	336	23	7.29	3.10	717	129	11.84	2.35	874	259
2.73	4.60	403	27	7.29	3.85	896	161	11.84	3.10	1223	341
2.73	5.35	470	31	7.29	4.60	1075	192	11.84	3.85	1690	424
2.73	6.10	538	36	7.29	5.35	1290	223	11.84	4.60	2157	506
3.64	1.55	179	16	7.29	6.10	1578	254	11.84	5.35	2623	589
3.64	2.35	269	25	8.2	1.55	403	82	11.84	6.10	3206	671
3.64	3.10	358	32	8.2	2.35	605	124	12.75	1.55	627	198
3.64	3.85	448	40	8.2	3.10	806	164	12.75	2.35	941	300
3.64	4.60	538	48	8.2	3.85	1008	203	12.75	3.10	1317	396
3.64	5.35	627	56	8.2	4.60	1250	243	12.75	3.85	1820	492
3.64	6.10	717	64	8.2	5.35	1573	282	12.75	4.60	2323	587
4.55	1.55	224	25	8.2	6.10	1896	322	12.75	5.35	2950	683
4.55	2.35	336	38	9.11	1.55	448	101	12.75	6.10	3577	779
4.55	3.10	448	51	9.11	2.35	672	153	13.66	1.55	672	227
4.55	3.85	560	63	9.11	3.10	896	202	13.66	2.35	1008	344
4.55	4.60	672	75	9.11	3.85	1120	251	13.66	3.10	1412	454
4.55	5.35	784	87	9.11	4.60	1389	300	13.66	3.85	1950	564
4.55	6.10	896	99	9.11	5.35	1748	349	13.66	4.60	2489	674
5.46	1.55	269	36	9.11	6.10	2107	397	13.66	5.35	3161	784
5.46	2.35	403	55	10.02	1.55	493	122	13.66	6.10	3833	894
5.46	3.10	538	73	10.02	2.35	739	165	14.57	1.55	717	259
5.46	3.85	672	90	10.02	3.10	986	244	14.57	2.35	1075	392
5.46	4.60	806	108	10.02	3.85	1282	303	14.57	3.10	1650	517
5.46	5.35	941	126	10.02	4.60	1676	363	14.57	3.85	2224	642



DIAMETER	HEIGHT	Kg	m3	DIAMETER	HEIGHT	Kg	m3
14.57	4.60	2941	767	20.95	3.10	2682	1066
14.57	5.35	3658	892	20.95	3.85	3712	1326
15.48	1.55	762	292	21.86	1.55	1075	582
15.48	2.35	1142	442	21.86	2.35	1937	882
15.48	3.10	1753	584	21.86	3.10	3012	1163
15.48	3.50	2363	725	21.86	3.85	4087	1444
15.48	4.60	3125	866	22.77	1.55	1120	631
15.48	5.35	3886	1,007	22.77	2.35	2018	957
16.39	1.55	806	327	22.77	3.10	3238	1262
16.39	2.35	1291	496	22.77	3.85	4258	1567
16.39	3.10	1937	654	23.68	1.55	1282	682
16.39	3.85	2583	812	23.68	2.35	2212	1035
16.39	4.60	3389	971	23.68	3.10	3380	1365
17.31	1.55	851	365	24.59	1.55	1331	736
17.31	2.35	1362	553	24.59	2.35	2100	1116
17.31	3.10	2044	729	24.59	3.10	3993	1472
17.31	3.85	2896	905	25.5	1.55	1380	791
17.31	4.60	3747	1082	25.5	2.35	2386	1200
18.22	1.55	896	404	25.5	3.10	3391	1583
18.22	2.35	1434	612	26.41	1.55	1430	849
18.22	3.10	2152	808	26.41	2.35	2471	1287
18.22	3.85	3048	1003	26.41	3.10	3512	1698
18.22	4.60	3944	1198	27.32	1.55	1479	909
19.13	1.55	941	445	27.32	2.35	2556	1377
19.13	2.35	1695	675	27.32	3.10	3900	1817
19.13	3.10	2449	890	28.24	1.55	1528	970
19.13	3.85	2389	1106	28.24	2.35	2917	1471
19.13	4.60	4330	1321	28.24	3.10	4306	1940
20.04	1.55	986	489	29.15	1.55	1866	1034
20.04	2.35	1775	741	29.15	2.35	2399	1567
20.04	3.10	2565	977	30.06	1.55	1924	1099
20.04	3.85	3551	1214	30.06	2.35	3402	1667
20.95	1.55	1030	534	30.97	1.55	1982	1167
20.95	2.35	1856	810	30.97	2.35	3505	1769

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.



LINER, PROTECTIONS AND COVER

DIAMETER	HEIGHT	LINER	WALL PROTECTION	BOTOM PROTECTION	AA COVER
1.82	1.55	20.100.0182.59	20.100.0182.59	20.200.0182.00	20.300.0182.00
1.82	2.35	20.100.0182.36	20.100.0182.36	20.200.0182.00	20.300.0182.00
1.82	3.10	20.100.0182.12	20.100.0182.12	20.200.0182.00	20.300.0182.00
1.82	3.85	20.100.0182.88	20.100.0182.88	20.200.0182.00	20.300.0182.00
1.82	4.60	20.100.0182.64	20.100.0182.64	20.200.0182.00	20.300.0182.00
1.82	5.35	20.100.0182.37	20.100.0182.37	20.200.0182.00	20.300.0182.00
2.73	1.55	20.100.0273.59	20.100.0273.59	20.200.0273.00	20.300.0273.00
2.73	2.35	20.100.0273.36	20.100.0273.36	20.200.0273.00	20.300.0273.00
2.73	3.10	20.100.0273.12	20.100.0273.12	20.200.0273.00	20.300.0273.00
2.73	3.85	20.100.0273.88	20.100.0273.88	20.200.0273.00	20.300.0273.00
2.73	4.60	20.100.0273.64	20.100.0273.64	20.200.0273.00	20.300.0273.00
2.73	5.35	20.100.0273.37	20.100.0273.37	20.200.0273.00	20.300.0273.00
3.64	1.55	20.100.0364.59	20.100.0364.59	20.200.0364.00	20.300.0364.00
3.64	2.35	20.100.0364.36	20.100.0364.36	20.200.0364.00	20.300.0364.00
3.64	3.10	20.100.0364.12	20.100.0364.12	20.200.0364.00	20.300.0364.00
3.64	3.85	20.100.0364.88	20.100.0364.88	20.200.0364.00	20.300.0364.00
3.64	4.60	20.100.0364.64	20.100.0364.64	20.200.0364.00	20.300.0364.00
3.64	5.35	20.100.0364.37	20.100.0364.37	20.200.0364.00	20.300.0364.00
4.55	1.55	20.100.0455.59	20.100.0455.59	20.200.0455.00	20.300.0455.00
4.55	2.35	20.100.0455.36	20.100.0455.36	20.200.0455.00	20.300.0455.00
4.55	3.10	20.100.0455.12	20.100.0455.12	20.200.0455.00	20.300.0455.00
4.55	3.85	20.100.0455.88	20.100.0455.88	20.200.0455.00	20.300.0455.00
4.55	4.60	20.100.0455.64	20.100.0455.64	20.200.0455.00	20.300.0455.00
4.55	5.35	20.100.0455.37	20.100.0455.37	20.200.0455.00	20.300.0455.00
5.46	1.55	20.100.0546.59	20.100.0546.59	20.200.0546.00	20.300.0546.00
5.46	2.35	20.100.0546.36	20.100.0546.36	20.200.0546.00	20.300.0546.00
5.46	3.10	20.100.0546.12	20.100.0546.12	20.200.0546.00	20.300.0546.00
5.46	3.85	20.100.0546.88	20.100.0546.88	20.200.0546.00	20.300.0546.00
5.46	4.60	20.100.0546.64	20.100.0546.64	20.200.0546.00	20.300.0546.00
5.46	5.35	20.100.0546.37	20.100.0546.37	20.200.0546.00	20.300.0546.00
6.37	1.55	20.100.0637.59	20.100.0637.59	20.200.0637.00	20.300.0637.00

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.



DIAMETER	HEIGHT	LINER	WALL PROTECTION	BOTOM PROTECTION	AA COVER
6.37	2.35	20.100.0637.36	20.100.0637.36	20.200.0637.00	20.300.0637.00
6.37	3.10	20.100.0637.12	20.100.0637.12	20.200.0637.00	20.300.0637.00
6.37	3.85	20.100.0637.88	20.100.0637.88	20.200.0637.00	20.300.0637.00
6.37	4.60	20.100.0637.64	20.100.0637.64	20.200.0637.00	20.300.0637.00
6.37	5.35	20.100.0637.37	20.100.0637.37	20.200.0637.00	20.300.0637.00
7.28	1.55	20.100.0725.59	20.100.0728.59	20.200.0728.00	20.300.0728.00
7.28	2.35	20.100.0728.36	20.100.0728.36	20.200.0728.00	20.300.0728.00
7.28	3.10	20.100.0728.12	20.100.0728.12	20.200.0728.00	20.300.0728.00
7.28	3.85	20.100.0728.88	20.100.0728.88	20.200.0728.00	20.300.0728.00
7.28	4.60	20.100.0728.64	20.100.0728.64	20.200.0728.00	20.300.0728.00
7.28	5.35	20.100.0728.37	20.100.0728.37	20.200.0728.00	20.300.0728.00
8.19	1.55	20.100.0819.59	20.100.0819.59	20.200.0819.00	20.300.0819.00
8.19	2.35	20.100.0819.36	20.100.0819.36	20.200.0819.00	20.300.0819.00
8.19	3.10	20.100.0819.12	20.100.0819.12	20.200.0819.00	20.300.0819.00
8.19	3.85	20.100.0819.88	20.100.0819.88	20.200.0819.00	20.300.0819.00
8.19	4.60	20.100.0819.64	20.100.0819.64	20.200.0819.00	20.300.0819.00
8.19	5.35	20.100.0819.37	20.100.0819.37	20.200.0819.00	20.300.0819.00
9.1	1.55	20.100.0910.59	20.100.0910.59	20.200.0910.00	20.300.0910.00
9.1	2.35	20.100.0910.36	20.100.0910.36	20.200.0910.00	20.300.0910.00
9.1	3.10	20.100.0910.12	20.100.0910.12	20.200.0910.00	20.300.0910.00
9.1	3.85	20.100.0910.88	20.100.0910.88	20.200.0910.00	20.300.0910.00
9.1	4.60	20.100.0910.64	20.100.0910.64	20.200.0910.00	20.300.0910.00
9.1	5.35	20.100.0910.37	20.100.0910.37	20.200.0910.00	20.300.0910.00
10.01	1.55	20.100.1001.59	20.100.1001.59	20.200.1001.00	20.300.1001.00
10.01	2.35	20.100.1001.36	20.100.1001.36	20.200.1001.00	20.300.1001.00
10.01	3.10	20.100.1001.12	20.100.1001.12	20.200.1001.00	20.300.1001.00
10.01	3.85	20.100.1001.88	20.100.1001.88	20.200.1001.00	20.300.1001.00
10.01	4.60	20.100.1001.64	20.100.1001.64	20.200.1001.00	20.300.1001.00
10.01	5.35	20.100.1001.37	20.100.1001.37	20.200.1001.00	20.300.1001.00
10.92	1.55	20.159.1092.06	20.100.1092.59	20.200.1092.00	20.300.1092.00
10.92	2.35	20.236.1092.06	20.100.1092.36	20.200.1092.00	20.300.1092.00

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.

iSii-Nitzan GmbH
 Via Cremignone 4C, Sorengo,
 Switzerland, CH 6924
 +(41) 765851837
 info@isii-nitzan.swiss
 www.isii-nitzan.swiss

More Information:



Versión: J2024-1

DIAMETER	HEIGHT	LINER	WALL PROTECTION	BOTOM PROTECTION	AA COVER
10.92	3.10	20.312.1092.06	20.100.1092.12	20.200.1092.00	20.300.1092.00
10.92	3.85	20.388.1092.06	20.100.1092.88	20.200.1092.00	20.300.1092.00
10.92	4.60	20.464.1092.06	20.100.1092.64	20.200.1092.00	20.300.1092.00
10.92	5.35	20.537.1092.06	20.100.1092.37	20.200.1092.00	20.300.1092.00
11.83	1.55	20.159.1183.06	20.100.1183.59	20.200.1183.00	20.300.1183.00
11.83	2.35	20.236.1183.06	20.100.1183.36	20.200.1183.00	20.300.1183.00
11.83	3.10	20.312.1183.06	20.100.1183.12	20.200.1183.00	20.300.1183.00
11.83	3.85	20.388.1183.06	20.100.1183.88	20.200.1183.00	20.300.1183.00
11.83	4.60	20.464.1183.06	20.100.1183.64	20.200.1183.00	20.300.1183.00
11.83	5.35	20.537.1183.06	20.100.1183.37	20.200.1183.00	20.300.1183.00
12.75	1.55	20.159.1275.06	20.100.1275.59	20.200.1275.00	20.300.1275.00
12.75	2.35	20.236.1275.06	20.100.1275.36	20.200.1275.00	20.300.1275.00
12.75	3.10	20.312.1275.06	20.100.1275.12	20.200.1275.00	20.300.1275.00
12.75	3.85	20.388.1275.06	20.100.1275.88	20.200.1275.00	20.300.1275.00
12.75	4.60	20.464.1275.06	20.100.1275.64	20.200.1275.00	20.300.1275.00
12.75	5.35	20.537.1275.06	20.100.1275.37	20.200.1275.00	20.300.1275.00
13.66	1.55	20.159.1366.06	20.100.1366.59	20.200.1366.00	20.300.1366.00
13.66	2.35	20.236.1366.06	20.100.1366.36	20.200.1366.00	20.300.1366.00
13.66	3.10	20.312.1366.06	20.100.1366.12	20.200.1366.00	20.300.1366.00
13.66	3.85	20.388.1366.06	20.100.1366.88	20.200.1366.00	20.300.1366.00
13.66	4.60	20.464.1366.06	20.100.1366.64	20.200.1366.00	20.300.1366.00
13.66	5.35	20.537.1366.06	20.100.1366.37	20.200.1366.00	20.300.1366.00
14.57	1.55	20.159.1457.06	20.100.1457.59	20.200.1457.00	20.300.1457.00
14.57	2.35	20.236.1457.06	20.100.1457.36	20.200.1457.00	20.300.1457.00
14.57	3.10	20.312.1457.06	20.100.1457.12	20.200.1457.00	20.300.1457.00
14.57	3.85	20.388.1457.06	20.100.1457.88	20.200.1457.00	20.300.1457.00
14.57	4.60	20.464.1457.06	20.100.1457.64	20.200.1457.00	20.300.1457.00
14.57	5.35	20.537.1457.06	20.100.1457.37	20.200.1457.00	20.300.1457.00
15.48	1.55	20.159.1548.06	20.100.1548.59	20.200.1548.00	20.300.1548.00
15.48	2.35	20.236.1548.06	20.100.1548.36	20.200.1548.00	20.300.1548.00
15.48	3.10	20.312.1548.06	20.100.1548.12	20.200.1548.00	20.300.1548.00

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.

iSii-Nitzan GmbH
 Via Cremignone 4C, Sorengo,
 Switzerland, CH 6924
 +(41) 765851837
 info@isii-nitzan.swiss
 www.isii-nitzan.swiss

More Information:



Versión: J2024-1

DIAMETER	HEIGHT	LINER	WALL PROTECTION	BOTOM PROTECTION	AA COVER
15.48	3.85	20.388.1548.06	20.100.1548.88	20.200.1548.00	20.300.1548.00
15.48	4.60	20.464.1548.06	20.100.1548.64	20.200.1548.00	20.300.1548.00
15.48	5.35	20.537.1548.06	20.100.1548.37	20.200.1548.00	20.300.1548.00
16.39	1.55	20.159.1639.06	20.100.1639.59	20.200.1639.00	20.300.1639.00
16.39	2.35	20.236.1639.06	20.100.1639.36	20.200.1639.00	20.300.1639.00
16.39	3.10	20.312.1639.06	20.100.1639.12	20.200.1639.00	20.300.1639.00
16.39	3.85	20.388.1639.06	20.100.1639.88	20.200.1639.00	20.300.1639.00
16.39	4.60	20.464.1639.06	20.100.1639.64	20.200.1639.00	20.300.1639.00
16.39	0.85	20.537.1639.06	20.100.1639.37	20.200.1639.00	20.300.1639.00
17.3	1.55	20.159.1730.06	20.100.1730.59	20.200.1730.00	20.300.1730.00
17.3	2.35	20.236.1730.06	20.100.1730.36	20.200.1730.00	20.300.1730.00
17.3	3.10	20.312.1730.06	20.100.1730.12	20.200.1730.00	20.300.1730.00
17.3	3.85	20.388.1730.06	20.100.1730.88	20.200.1730.00	20.300.1730.00
17.3	4.60	20.464.1730.06	20.100.1730.64	20.200.1730.00	20.300.1730.00
17.3	0.85	20.537.1730.06	20.100.1730.37		
18.21	1.55	20.159.1821.06	20.100.1821.59	20.200.1821.00	20.300.1821.00
18.21	2.35	20.236.1821.06	20.100.1821.36	20.200.1821.00	20.300.1821.00
18.21	3.10	20.312.1821.06	20.100.1821.12	20.200.1821.00	20.300.1821.00
18.21	3.85	20.388.1821.06	20.100.1821.88	20.200.1821.00	20.300.1821.00
18.21	4.60	20.464.1821.06	20.100.1821.64	20.200.1821.00	20.300.1821.00
18.21	0.85	20.537.1821.06	20.100.1821.37	20.200.1821.00	20.300.1821.00
19.12	1.55	20.159.1912.06	20.100.1912.59		
19.12	2.35	20.236.1912.06	20.100.1912.36		
19.12	3.10	20.312.1912.06	20.100.1912.12		
19.12	3.85	20.388.1912.06	20.100.1912.88		
20.03	1.55	20.159.2003.06	20.100.2003.59	20.200.2003.00	20.300.2003.00
20.03	2.35	20.236.2003.06	20.100.2003.36	20.200.2003.00	20.300.2003.00
20.03	3.10	20.312.2003.06	20.100.2003.12	20.200.2003.00	20.300.2003.00
20.03	3.85	20.388.2003.06	20.100.2003.88	20.200.2003.00	20.300.2003.00
20.03	0.85	20.464.2003.06	20.100.2003.64	20.200.2003.00	20.300.2003.00
20.94	1.55	20.159.2094.06	20.100.2094.59		

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.

iSii-Nitzan GmbH
 Via Cremignone 4C, Sorengo,
 Switzerland, CH 6924
 +(41) 765851837
 info@isii-nitzan.swiss
 www.isii-nitzan.swiss

More Information:



Versión: J2024-1

DIAMETER	HEIGHT	LINER	WALL PROTECTION	BOTOM PROTECTION	AA COVER
20.94	2.35	20.236.2094.06	20.100.2094.36		
20.94	3.10	20.312.2094.06	20.100.2094.12		
21.85	1.55	20.159.2185.06	20.100.2185.59	20.200.2185.00	20.300.2185.00
21.85	2.35	20.236.2185.06	20.100.2185.36	20.200.2185.00	20.300.2185.00
21.85	3.10	20.312.2185.05	20.100.2185.12	20.200.2185.00	20.300.2185.00
21.85	3.85	20.388.2185.06	20.100.2185.88	20.200.2185.00	20.300.2185.00
21.85	0.85	20.464.2185.06	20.100.2185.64		
22.76	1.55	20.159.2276.06	20.100.2276.59		
22.76	2.35	20.236.2272.06	20.100.2276.36		
22.76	3.10	20.312.2276.06	20.100.2276.12		
23.67	1.55	20.159.2367.06	20.100.2367.59	20.200.2367.00	20.300.2367.00
23.67	2.35	20.236.2367.06	20.100.2367.36	20.200.2367.00	20.300.2367.00
23.67	3.10	20.312.2367.06	20.100.2367.12	20.200.2367.00	20.300.2367.00
24.58	1.55	20.159.2458.06	20.100.2458.59		
24.58	2.35	20.236.2458.06	20.100.2458.36		
25.49	1.55	20.159.2549.06	20.100.2549.59	20.200.2549.00	20.300.2549.00
25.49	2.35	20.236.2549.06	20.100.2549.36	20.200.2549.00	20.300.2549.00
25.49	3.10	20.312.2576.06	20.100.2549.12	20.200.2549.00	20.300.2549.00
26.4	1.55	20.159.2640.06	20.100.2640.59		
26.4	2.35	20.236.2640.06	20.100.2640.36		
27.31	1.55	20.159.2731.06	20.100.2731.59	20.200.2731.00	20.200.2731.00
27.31	2.35	20.236.2731.06	20.100.2731.36	20.200.2731.00	20.200.2731.00
27.31	3.10	20.312.2731.06	20.100.2731.12	20.200.2731.00	20.200.2731.00
28.22	1.55	20.159.2822.06	20.100.2822.59		
28.22	2.35	20.236.2822.06	20.100.2822.36		
29.13	1.55	20.159.2913.06	20.100.2913.59		
29.13	2.35	20.236.2913.06	20.100.2913.36		
30.04	1.55	20.159.3004.06	20.100.3004.59		
30.04	2.35	20.236.3004.06	20.100.3004.36		
30.95	1.55	20.159.3095.06	20.100.3095.59		
30.95	2.35	20.236.3095.06	20.100.3095.36		

All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.





WELDING MANCHET POLYEXTRA 0.60 MM


TUBE [mm]	FEED THROUGH	DIMENSION [mm]
63-90	CONICAL	40-140
110-125	CONICAL	80-16
160	CONICAL	140-200
200	CONICAL	180-250
250	CONICAL	230-300
315	CONICAL	290-400
400	CONICAL	380-500



FIRST LAYER METAL COATING

ITEM TECHNICAL SPECIFICATION

- CORRENDER ZINCMAGNESIUM COATING OFFERS ENHANCED CORROSION PROTECTION
- INNOVATIVE ALLOY USED IN GALVANIZED STEEL PROCESS
- NEXT STEP IN EVOLUTION OF CORROSION PROTECTION FOR THIN STEEL SHEETS
- METALLIC COATING THICKNESS CAN BE SIGNIFICANTLY REDUCED
- CORRENDER TECHNOLOGY IMPROVES CORROSION RESISTANCE
- ZINCMAGNESIUM COATING POSSESSES EXTRAORDINARY PROPERTIES
- ADVANCED TECHNOLOGY FOR SUPERIOR CORROSION PREVENTION



SECOND LAYER COATING (OPTIONAL)

ITEM TECHNICAL SPECIFICATION

- CHROMATE-FREE ORGANIC COATING FOR ENHANCED PROTECTION
- SPECIAL PRIMER ENSURES PERFECT ADHESION OF COLOFOR COATING
- ENSURES LONG-TERM PROTECTION AGAINST CORROSION IN CRITICAL ENVIRONMENTS
- HIGHEST LEVEL OF UV RESISTANCE
- HIGHEST SCRATCH RESISTANCE
- EXCELLENT FORMING PROPERTIES
- AVAILABLE IN LIGHT GREY RAL 7038 AND DARK GREEN RAL 6009

