




ART. CODE	DESCRIPTION	PACKING
3039037	Quick Coupling Valve 3/4"	130
3139020	Key for Quick Coupling Valve 3039 3/4"	250
7.24.021	Elbow PE 25 x 3/4" (F)	150





ITEM	CHARACTERISTICS DESCRIPTION
1	The multi-layer desing, made of an exclusive woven fibreanda double core layer.
2	Tricoflex is highly flexible for easy handling with excellent resistance to repeated bending, crushing and pulling as well as minor deformation under pressure.
3	The lining is extremely smooth, there by maintaining even flow.
4	Especially thick and made of high quality materials.
5	Tricoflex remarkable aging resistance with exceptional preservation of flexibility.
6	Yellow PVC covering gives it good protection against abrasion and UV.
7	Connectors with band, screw or 'O' type clamps. Automatic connectors for watering.

PART	PARTS DESCRIPTION
1	Yellow or green PVC covering.
2	Intermediate layer of flexible PVC yellow.
3	Textile knitted reinforcement TNT.
4	Intermediate layer of soft black PVC.
5	Smoothblack innertube.

mm	mm	mm	bar	bar	mm	Yellow			Green	
						25 m	50 m	100 m	25 m	50 m
12,5	17,6	2,55	25	10	125	117135	117151	117016		
15	20,5	2,75	25	10	135	116861	116874	054426	117045	117051
19	25,5	3,25	23	9	180	116887	051546	054437	142916	051570
25	32,3	3,65	20	8	240	048273	048374	048363	048284	048385
30	39	4,50	20	8	300	048508	048510	048497		
35	45	5,00	20	8	350	048565	048554	048587		
40	51	5,50	20	8	400	048442	048453	048655		
50	63	6,50	20	8	500	048306	048341			



All rights reserved by iSinitzan. Reproduction and distribution of any part of this document is prohibited.

iSii-Nitzan GmbH
 Via Cremignone 4C, Sorengo,
 Switzerland, CH 6924
 +(41) 765851837
 info@isii-nitzan.swiss
 www.isii-nitzan.swiss

More Information:



Versión: J2024-1



ART. CODE	DESCRIPTION	d1	PACKING
501000	Brass gatevalve.	1/4"	PN 25
501010	Brass gatevalve.	3/8"	PN 25
501020	Brass gatevalve.	1/2"	PN 25
501030	Brass gatevalve.	3/4"	PN 25
501040	Brass gatevalve.	1"	PN 25
501050	Brass gatevalve.	1 1/4"	PN 25
501060	Brass gatevalve.	1 1/2"	PN 25
501070	Brass gatevalve.	2"	PN 25



ART. CODE	DESCRIPTION	d1	
503640	Brass quick coupling (EU).	3/8"	Tule
503650	Brass quick coupling (EU).	1/2"	Tule
503660	Brass quick coupling (EU).	3/4"	Tule
503670	Brass quick coupling (EU).	1"	Tule
503680	Brass quick coupling (EU).	1 1/4"	Tule
503690	Brass quick coupling (EU).	1 1/2"	Tule



ART. CODE	DESCRIPTION	d1	
503695	Brass quick coupling (EU).	3/8"	Female
503700	Brass quick coupling (EU).	1/2"	Female
503710	Brass quick coupling (EU).	3/4"	Female
503720	Brass quick coupling (EU).	1"	Female
503730	Brass quick coupling (EU).	1 1/4"	Female
503740	Brass quick coupling (EU).	1 1/2"	Female




ART. CODE	DESCRIPTION	d1	
503745	Brass quick coupling (EU).	3/8"	Male
503750	Brass quick coupling (EU).	1/2"	Male
503760	Brass quick coupling (EU).	3/4"	Male
503770	Brass quick coupling (EU).	1"	Male
503780	Brass quick coupling (EU).	1 1/4"	Male
503790	Brass quick coupling (EU).	1 1/2"	Male



ART. CODE	DESCRIPTION	
503800	Brass quick coupling (EU).	Blind





ITEM	CHARACTERISTICS DESCRIPTION
1	The irreflex is a flexible multi-layers hose suitable for everyday professional uses.
2	Structure reinforced with polyester knitting an UV resistant cover.
3	Connectors with band, screw or 'O' type clamps. Automatic connectors for watering.

PART	PARTS DESCRIPTION
1	Flexible PVC cover yellow with 2 blues stripes.
2	Intermediate layer of expanded PVC yellow.
3	Knitted textile reinforcement TNT.
4	Intermediate layer of expanded PVC black.
5	Black smooth soft PVC liner.

mm	mm	bar	bar	mm	Yellow with blue stripes	
					25 m	50 m
12,5	2,40	23	9	130	110050	110051
15	2,55	23	9	140	110052	110053
19	2,95	20	8	185	110054	110055
25	3,05	20	8	230	110056	110057

