





Color Grey

	Wide (mm)	High(mm)	Deep(mm)	Doors
SE 5830.600	600	1800	400	1
SE 5831.600	800	1800	400	1
SE 5832.600	800	2000	400	1
SE 5833.600	800	2000	500	1
SE 5834.600	800	2000	600	1
SE 5840.600	1000	1800	400	2
SE 5841.600	1200	1800	400	2
SE 5842.600	1600	1800	400	2
SE 5843.600	1200	2000	400	2
SE 5844.600	1200	2000	500	2
SE 5845.600	1200	2000	600	2
SE 5846.600	1800	2000	500	2



Front and back RAL 9005



Sides RAL 9005

Pedestal

Front and back

Sides

High

	mm		mm		mm
SE 5830.600	600	VX 8640.002	400	VX 8640.031	100
SE 5831.600	800	VX 8640.003	400	VX 8640.031	100
SE 5832.600	800	VX 8640.003	400	VX 8640.031	100
SE 5833.600	800	VX 8640.003	500	VX 8640.032	100
SE 5834.600	800	VX 8640.003	600	VX 8640.033	100
SE 5840.600	1000	VX 8640.005	400	VX 8640.031	100
SE 5841.600	1200	VX 8640.007	400	VX 8640.031	100
SE 5842.600	1600	VX 8640.008	400	VX 8640.031	100
SE 5843.600	1200	VX 8640.007	400	VX 8640.031	100
SE 5844.600	1200	VX 8640.007	500	VX 8640.032	100
SE 5845.600	1200	VX 8640.007	600	VX 8640.033	100
SE 5846.600	1800	VX 8640.009	500	VX 8640.032	100



	Wide (mm)	High(mm)	Deep(mm)	Doors
5765721	600	380	210	1
5765959	500	500	300	1



Cooling fan	High mm	Wide mm	Deep mm	m³/hr	Watt	Volt	HZ
3852696	109	109	66	25	12	230	50/60
3852704	145	145	75	49	19	230	50/60
3852738	252	252	119	256	48	230	50/60

Ventilation plate for cabinet

7700149

Wide
mm
395



Ventilation plate for cabinet

2242507

Wide
mm
23,5





2412216 Ground connection 16mm2 x 200mm



2412316 Ground connection 16mm2 x 300mm



3239500 Fan
230V 105m3/h



3239200 Filter
204 x 204 x 24mm



3181100 Filter element
173 x 173 x 12mm



3110000 Thermostat for fan



2500300 LED lamp for cabinet



2500500 Cable for led



8611020 Handle for
cabinet door




2531000 Cabinet key



3203726 Din rail for cabinet panel x 2 m




2220308 Plastic gutter 60 x 60mm x2 m




8WH9150 - 0CA00
Separator terminal



8WH2000 - 0CF07
Ground terminal



8WH2000 - 0AF00
Single terminal



8WH2020 - 0AF00
Double terminal



8086387

Ground bus bar length 40 amp (100 cm)



VBF6 Te Sys Vario - switch disconnecter -175 A



CR171 Isolation Transformer 440 V/AC , 230 V/AC 2000 VA



CT256

Isolation Transformer 440 V/AC , 24 V/AC 400 VA



TDR - 480 - 24 Mean Well AC - DC - DINrail 340 - 550Vac V out 24V/20A 3 - ph input



8WH2000 - 1GG08

Fuse holder



5SL4306 - 7

Breaker 6p 440V / 6A C



5SL4206 - 7

Breaker 2p 220V / 6A C



LYG116013 Linergy DS - screw distribution block 1P -160A -14 holes



3RV2031 - 4WA15
3RV2021 - 4BA15
3RV2011 - 0HA15

Circuit breaker 42-52A / 440V
Circuit breaker 13-20A / 440V
Circuit breaker 0.55-0.8A / 440V



3RT2017-1BB41
3RT2018-1BB41

Contactor 3 poles 5.5KW / 440V
Contactor 3 poles 7.5KW / 440V



3RW40361BB04

Soft starter S2 45A, 22KW/400V, AC, 24 V AC/DC



5TE6800

Socket 220V for general use



3SU11001HA201FG0
3SB29080AA
3SB24040B
3SB24040C

Emergency stop button
Holder
NO contact
NC contact



3SU11026AA401AA0

Signal lamp holder green

3SU11026AA201AA0

Signal lamp holder red



3SU19000AG100AA0

Text shield